

**Table: Dynamic routing protocol reference guides and unsupported commands**

<b>Dynamic Routing Protocol</b>	<b>Command Reference Guide</b>	<b>Unsupported Commands</b>
OSPF	<a href="#">OSPF Command Reference</a>	<ul style="list-style-type: none"> <li>• Domain-id command</li> <li>• OSPF-TE related commands</li> <li>• OSPF-VPN related commands</li> <li>• CSPF-TE related commands</li> <li>• ip ospf resync-timeout command</li> <li>• capability opaque command</li> <li>• enable ext-ospf-multi-inst command</li> </ul>
IPv6 OSPF (OSPFv3)	<a href="#">OSPF Command Reference</a>	<ul style="list-style-type: none"> <li>• OSPF-TE related commands</li> </ul>
BGP	<a href="#">BGP Command Reference</a>	<ul style="list-style-type: none"> <li>• VPN/VRF related commands</li> <li>• MPLS related commands</li> <li>• 6PE commands (IPv6 provider edge)</li> <li>• Multicast options</li> <li>• set-overload-bit command</li> </ul>
IS-IS	<a href="#">IS-IS Command Reference</a>	<ul style="list-style-type: none"> <li>• capability cspf command</li> <li>• enable-cspf command</li> <li>• mpls traffic-eng command</li> <li>• mpls traffic-eng router-id command</li> <li>• multi-topology for ipv6 address family related commands</li> </ul>
RIP and IPv6 RIP (RIPng)	<a href="#">RIP and RIPng Command Reference</a>	<ul style="list-style-type: none"> <li>• neighbor command</li> </ul>