Configuring Panorama9

Configuring Panorama9 for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on Panorama9 by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above

To configure Panorama9 for SSO by using SAML:

1. In a browser, type https://dashboard.panorama9.com and press **Enter**.

2. On the home page, click **LOGIN**.

3. Type your Panoroma9 admin account credentials (**Email** and **Password**) and click **Login**.



4. In the left panel, under **Client Dashboard**, click **Extensions**.



	Client			Responsible	Vulnerabilities	Availability	Compliance	Server Issues		Patch Issues
	Totals	0	0	-	0	0	0	0	0	0

5. In the **Extensions** page, click **Single Sign-On**.



6. Enter the values for the following fields:

Field	Description
Enable Single Sign-On	Select **ON.**
Certificate Fingerprint	Copy and paste the IdP certificate fingerprint from the https://www.samltool.com/fingerprint.php link, select **Algorithm** and **Generate the Fingerprint**.
Strict Validation	Select **ON.**
	Make note of Recipient attribute and Audience element, as it is required for IDP configuration.
Login URL	IdP logon URL
Consume URL	IdP issuer URL
Issuer	IdP issuer value



Enable Single Sign-On: On / Off

Identity URL: [redacted]

The Panorama9 dashboard supports any SAML 2.0 compatible Identity Provider.

Certificate fingerprint: [redacted]

Strict validation: On / Off

If enabled the recipient attribute and Audience element of the SAML Assertion must be issued to Panorama9. The SAML Assertion is generated by your Identity Provider as a part of the response to the Authentication request.

This means your Identity Provider needs to know two things:

1) Recipient attribute:
[redacted]

2) Audience element:
[redacted]

If disabled a bad Service Provider may reuse your SAML credentials to gain unauthorized access to your Panorama9 account.

Login URL: [redacted]

Consume URL: [redacted]

Issuer: [redacted]

If your Identity Provider uses a unified URL to handle all Single Sign-On requests, this issuer URI is sent as a part of the SAML authentication request. Copy it into e.g. the Entity ID field of your Identity Providers SAML setup.

7. Finally, click **Save Changes**.