Configure Reamaze for Single Sign-On


Configuring Reamaze for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to Reamaze by using the enterprise credentials.

Prerequisite


Browser Requirements: Internet Explorer 11 and above.

To configure Reamaze for SSO by using SAML:


- 1. In a browser, type <a href="https://<customer_domain>.reamaze.com/admin/auth/login">https://<customer_domain>.reamaze.com/admin/auth/login and press **Enter**.
- 2. Type your Reamaze admin account credentials (Email and Password) and click Login.



3. In the dashboard page, click **Settings** from the left pane.




4. Scroll down and click **SAML SSO** under **ADVANCED SETTINGS**.



- 5. In the **SAML Single-Sign-On** page, select the **Enable SAML** check box.
- 6. Scroll down and enter the values for the following fields under **Information for us**:

Required Information	Description
Sign-On URL	IdP logon URL
Certificate	Copy and paste the IdP certificate. The IdP certificate must begin and end withBegin Certificate andEnd Certificate Note: The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app. https://gateway.cloud.com/idp/saml/ <citrixcloudcust id="">/<app id="">/idp metadata.xml</app></citrixcloudcust>



7. Finally, click **Update Account**.