

# Configuring VictorOps

Configuring VictorOps for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to VictorOps by using the enterprise credentials.

## Prerequisite

Browser Requirements: Internet Explorer 11 and above

### To configure VictorOps for SSO by using SAML:

1. In a browser, type <https://victorops.com/> and press **Enter**.
2. Type your VictorOps admin account credentials (**Username** and **Password**) and click **Sign in**.

The screenshot shows the 'Sign in' page of the VictorOps website. At the top is a 'Sign in' button. Below it is a large input field containing a password, which is visually highlighted with a blue border. Below the password field is a 'Sign in' button with a yellow background. Underneath these are two dark grey buttons: one labeled 'Sign in with GitHub' and another labeled 'Single Sign-On'. To the right of the GitHub button are links for 'Forgot password?' and 'Forgot username?'. At the bottom left is a link 'Need a VictorOps account?'

3. To enable and configure SSO, the user must contact VictorOps support team and provide them with the IdP metadata XML file.

Required Information	Description
Metadata URL	The IdP metadata URL is provided by Citrix and can be accessed from the link below: <a href="https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/idp_metadata.xml">https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/idp_metadata.xml</a>

**Note:** The support team will configure the SP from the backend.