

XenMobile Server Role-Based Access Control Defaults

Last Updated: October 15, 2020

Role-Based Access Control Defaults

This table lists all Role-Based Access Control (RBAC) access permissions and indicates, with the letter Y, if the permission is set by default for any of the built-in roles.

Permissions that apply only to on-premises XenMobile Server are marked with an asterisk (*).

Access permissions	Built-in roles			
	Admin	Device Provisioning	Support	User
Authorized access				
Admin console access	Y			
Shared devices enroller Note: By default, the User role doesn't include this permission. Be sure to add it to user-level roles as needed.				
Remote Support access	Y		Y	
Public API access	Y			
COSU devices enroller Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.				
Console features			Y	
Dashboard	Y			
Reporting	Y			
Devices	Y			
Full Wipe device	Y			Y
Clear Restriction	Y			
Selective Wipe device	Y			Y
View locations	Y	Y		Y
Locate device	Y			Y
Track device	Y			Y
Lock device	Y			Y
Unlock device	Y			Y
Lock container Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.				Y
Unlock container Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.				Y

Access permissions	Built-in roles			
	Admin	Device Provisioning	Support	User
Reset container password Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.				Y
Enable ASM DEP/Bypass activation lock Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.		Y		Y
Get Resident Users	Y			Y
Logout Resident User	Y			Y
Delete Resident User	Y			Y
Rings the device Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.		Y		Y
Reboot the device Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.				Y
Deploy to device	Y			
Edit device	Y	Y		
Notification to device	Y			
Add/Delete device	Y	Y		
Devices import	Y			
Export device table	Y			
Revoke device	Y			
App lock	Y			Y
App wipe	Y			Y
View software inventory Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.		Y		Y
Request AirPlay mirroring Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.		Y		Y
Stop AirPlay mirroring Note: Currently not assigned to the Admin role by default. Be sure to add this permission as needed.		Y		Y
Enable lost mode	Y	Y		Y
Disable lost mode	Y	Y		Y

Access permissions	Built-in roles			
	Admin	Device Provisioning	Support	User
OS Update device	Y			
Shut Down device	Y			
Restart device	Y			
Local Users and Groups	Y			
Add Local Users	Y			
Delete Local Users	Y			
Edit Local User	Y			
Import Local User	Y			
Export Local User	Y			
Local User Groups	Y			
Get Local User Lock ID	Y			
Delete User Lock	Y			
Enrollment	Y			
Add/Delete enrollment	Y			Y
Notify user	Y			Y
Export enrollment invitation table	Y			
Policies	Y			
Add/Delete policy	Y			
Edit policy	Y			
Upload Policy	Y			
Clone Policy	Y			
Disable Policy	Y			
Export Policy	Y			
Assign Policy	Y			
App	Y			
Add/Delete app store or enterprise app	Y			
Edit app store or enterprise app	Y			
Add/Delete MDX, Web and SaaS app	Y			
Edit MDX, Web and SaaS app	Y			
Add/Delete category	Y			
Assign public/enterprise app to delivery group	Y			
Assign MDX/WebLink/SaaS app to delivery group	Y			
Export app table	Y			
Media	Y			
Add/Delete app store or enterprise books	Y			

Access permissions		Built-in roles			
		Admin	Device Provisioning	Support	User
group	Assign public/enterprise books to delivery	Y			
	Edit app store or enterprise books	Y			
	Smart action	Y			
	Add/delete smart action	Y			
	Edit smart action	Y			
	Assign smart action to delivery group	Y			
	Export smart action	Y			
	Delivery group	Y			
	Add/delete delivery group	Y			
	Edit delivery group	Y			
	Deploy delivery group	Y			
	Export delivery group	Y			
	Enrollment profile	Y			
	Add/delete enrollment profile	Y			
	Edit enrollment profile	Y			
	Assign enrollment profile to delivery group	Y			
	Setting	Y	Y		
	RBAC	Y			
	RBAC Assignment	Y			
	LDAP	Y			
	License*	Y			
	Enrollment	Y			
	Release Management	Y			
	Release Management Update	Y			
	Certificates	Y			
	Edit APNS certificate	Y			
	Certificates SSL Listener	Y			
	Notification Templates	Y			
	Workflows	Y			
	Credential Providers	Y			
	PKI Entities	Y			
	Test PKI Connection	Y			
	Client Properties	Y			
	Client Support	Y			
	Client Branding	Y			
	Carrier SMS Gateway	Y			
	Notification Server	Y			

Access permissions	Built-in roles			
	Admin	Device Provisioning	Support	User
ActiveSync Gateway	Y			
Apple deployment programs	Y			
Apple Configurator Device Enrollment	Y			
iOS/VPP Settings	Y			
Mobile Service Provider	Y			
NetScaler Gateway*	Y			
Network Access Control	Y			
Samsung Knox	Y			
Server Properties	Y			
Syslog*	Y			
XenApp/XenDesktop	Y			
Sharefile	Y			
Experience Improvement Program*	Y			
Android Enterprise	Y			
Identity Provider (IdP)	Y			
Derived Credentials	Y			
XenMobile Tools	Y			
SNMP Configuration	Y			
Firebase Cloud Messaging	Y			
Support	Y			
NetScaler Gateway Connectivity Checks	Y			
XenMobile Connectivity Checks	Y			
Create Support Bundles*	Y			
Citrix Product Documentation	Y			
Citrix Knowledge Center	Y			
Logs	Y			
Cluster Information*	Y			
Garbage Collection*	Y			
Java Memory Properties*	Y			
Macros	Y			
PKI Configuration	Y			
APNS Signing Utility	Y			
Citrix Insight Services	Y			
Device NetScaler Connector Status	Y			
Anonymization and De-anonymization*	Y			
Log Settings	Y			
Log Size	Y			

Access permissions	Built-in roles			
	Admin	Device Provisioning	Support	User
Restrict group access	Y	Y	Y	Y